imageCLASS MF641Cw | MF643Cdw

PROFESSIONAL

EFFICIENCY



INTUITIVE TECHNOLOGY WITH SEAMLESS FUNCTIONALITY

Business Can Be Simple

FRIENDLY

MAINTENANCE

V²COLOUR

COLOURFUL

PERFORMANCE

Canon

imageCLASS

VALUES OBJECTIVES

ECO

SAVINGS





SEAMLESS CONNECTIVITY AND SIMPLE NAVIGATION

Engineered to make multi-tasking effortless through a system of leading-edge functionality, Canon imageCLASS MF641Cw and MF643Cdw enhance print performance with seamless connectivity and simple navigation. With V² Colour Technology, colour print quality is stunningly and effortlessly processed.

COLOURFUL PERFORMANCE

V² COLOUR

VIVID & VIBRANT PRINTOUTS

V² Colour Technology delivers true quality prints that commands attention and leaves an impactful impression during business presentations. Anticipate incredible and striking visuals with an expanded colour palette on every print.

PROFESSIONAL EFFICIENCY



EASE AT EVERY TOUCH

The imageCLASS series' vari-angle 127 mm (5-inch) touchscreen LCD display allows greater viewing flexibility with a touch, and makes navigation simple, convenient and intuitive.



WIRELESS AND MOBILE CONNECTIVITY

Print on the go using your mobile device for fast data transfers, through a selection of apps such as Canon PRINT Business, Apple® AirPrint®, Google Cloud Print™, Mopria® and Canon Print Service.



DEPARTMENT ID

Based on user profiles, easily manage and control access to functions like Scan, Copy and Colour Printing.



HIGH PRINT YIELDS

With print yields of 3 100 pages (Black) and 2 300 pages (Colour), experience less frequent toner replacements with the optional high capacity toner cartridges.



CUSTOMISED APPLICATIONS LIBRARY

Ease your work process with the in-built Application Library. With Name and Scan, users can send scanned documents to pre-defined destinations and easily retrieve files saved according to specified username.



EFFICIENT PAPER HANDLING

The MF641Cw and MF643Cdw comes with a cassette tray capacity of 250 sheets to facilitate efficient paper handling.

EFFORTLESS MAINTENANCE



ALL-IN-ONE, EASY UPKEEP

With the combination of a photosensitive drum, cleaning unit and toner reservoir, Canon's All-in-One toner cartridge gets printing tasks done effortlessly, with minimal maintenance. The auto toner seal removal system eliminates the need to remove the seal manually, adding convenience when replacing the cartridge.

ECO-SAVINGS



REDUCE POWER USAGE

Activating sleep mode reduces electricity consumption to less than 1W, delivering greater savings and a smaller carbon footprint.



SPECIFICATIONS

		MF641Cw	MF643Cdw	
PRINT				
Printing Method		Colour Laser Beam Printing		
Print Speed	A4	18 / 18 pages/min (Mono/Colour)	21 / 21 pages/min (Mono/Colour)	
	Letter	18 / 18 pages/min (Mono/Colour)	22 / 22 pages/min (Mono/Colour)	
	2-sided	N/A	12 / 12 pages/min (Mono/Colour)	
Print Resolution		600 x 600 dpi		
Print Quality with Image Refinement Technology		1 200 x 1 200 dpi (equivalent)		
Warm up Time (From Power On)		13.0 s or less		
	A4	Approx. 10.4 / 10.5 s (Mono/Colour)		
First Printout Time (FPOT)	Letter	Approx. 10.3 / 10.3 s (Mono/Colour)		
Recovery Time (From Sleep Mode)		Approx. 6.1 s		
Print Language		UFR II	UFR II, PCL 6	
Auto Duplex Print		N/A	Standard	
Available Paper Size for Auto Duplex Print		N/A	A4, B5, Letter, Legal, Executive, Foolscap, Indian Legal	
Supported File Format for USB Direct Print		Supported File Format: JPEG, TIFF, PDF		
Print Margins		5 mm - top, bottom, left and right (Envelope: 10 mm)		
Print Features		Poster, Booklet, Watermark, Page Composer, Toner Saver		
СОРУ				
	A4	18 / 18 pages/min (Mono/Colour)	21 / 21 pages/min (Mono/Colour)	
Copy Speed	Letter	18 / 18 pages/min (Mono/Colour)	22 / 22 pages/min (Mono/Colour)	
Copy Resolution		600 x 600 dpi		
First Osmu Time (FOOT)	A4	Approx. 11.4 / 13.4 s (Mono/Colour)		
First Copy Time (FCOT)	Letter	Approx. 11.2 / 13.1 s (Mono/Colour)		
Maximum Number of Copies		Up to 999 copies		
Reduce/Enlargement		25 - 400% in 1% increments		
Copy Features		Frame Erase, Collate, 2 on 1, 4 on 1, ID Card Copy, Passport Copy		
SEND				
Sending Method		SMB, E-mail, FTP		
Color Mode		Full Colour, Grayscale, Monochrome		
Scan Resolution		300 x 600pi		
File Format		JPEG, TIFF, PDF, Compact PDF, PDF (OCR)		
SCAN				
Scan Type		Colour Contact Image Sensor		
Comp Decelution	Optical	Platen glass: up to 600 x 600dpi	Platen glass: up to 600 x 600dpi Feeder: up to 300 x 300dpi	
Scan Resolution	Driver Enhanced	Up to 9 600 x 9 600 dpi		
Maximum Scan Size	Platen glass	Up to 216.0 x 297mm		
	Feeder	N/A	Up to 216.0 x 355.6mm	
Color Depth		24-bit		
Pull Scan		Yes, USB and Network		
Push Scan (Scan To PC) with MF Scan Utility		Yes, USB and Network		
Scan to USB (via USB Host 2.0)		Yes		

SPECIFICATIONS		MF641Cw	MF643Cdw	
Scan Driver Compatibility		TWAIN	, WIA	
Scan Speed ^(*1)		N/A	1-Sided: 26.1 image/min (mono), 13.3 image/min (colour)	
Scan to Cloud		Yes, via MF Scan Utility		
PAPER HANDLING				
Auto Document Feeder (ADF)		N/A	50 sheets (80 g/m²)	
Available Paper Size for ADF		N/A	A4, B5, A5, Letter, Legal, Statement, Custom Size (Min. 128 x 139.7mm to Max. 216.0 x 355.6mm))	
Paper Input Standard Cassette		250 sheets		
(Based on 80g/m ²)	Multi-Purpose Tray	l sheet		
Maximum Paper Input Capacity		251 sheets		
Paper Output	Print	100 sh	eets	
Paper Size	Cassette	A4, B5, A5, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal, Custom (Min. 76.2 x 127.0mm to Max. 216.0 x 355.6mm)		
	Multi-Purpose Tray	A4, B5, A5, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal, Index Card, Envelope: COM10, Monarch, C5, DL, Custom (Min. 76.2 x 127.0mm to Max. 216.0 x 355.6mm)		
Paper Types		Plain, Thick, Coated, Recycled, Colour, Label, Postcard, Envelope		
	ADF	N/A 50 to 105g/m ²		
Paper Weight	Cassette	60 to 200g/m ²		
	Multi-Purpose Tray	60 to 200g/m ²		
CONNECTIVITY & SOFTWA	RE			
	Wired	USB 2.0 High Speed, 10Base-T/100Base-TX/1000Base-T		
Standard Interface	Wireless	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS easy Setup, Direct Connection)		
	Print	LPD, RAW. WSD-Print (IPv4,IPv6)		
Network Protocol	Scan	Email, SMB, WSD-Scan(IPv4, IPv6), FTP		
Nelwork Protocol	TCP/IP Application Services	Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4,IPv6), DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6)		
	Management	SNMPv1, SNMPv3 (IPv4,IPv6)		
Network Security	Wired	IP/Mac address filtering, HTTPS, SNMPv3, IEEE802.1x, IPSEC		
Network Security Wireless		WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)		
One-Push Wireless Configuration		Wi-Fi Protected Setup (WPS)		
Other Features		Department ID, Secure Print, Application Library		
Mobile Solution		Canon PRINT Business, Canon Print Service, Google Cloud Print™, Apple® AirPrint®, Mopria® Print Service		
Address Book		LDAP		
Compatible Operating Systems ^(*3)		Windows® 10, Windows® 8.1, Windows® 7, Windows Server® 2016, Windows Server® 2012 R2, Windows Server® 2012, Windows Server® 2008 R2, Windows Server® 2008, Mac® OS X 10.9.5 & up ⁽⁻⁴⁾ , Linux ⁽⁻⁴⁾		
Software Included		Printer driver, Scanner driver, MF Scan Utility, Toner Status		
GENERAL				
Device Memory		1 GB		
LCD Display		WVGA Colour LCD 127 mm (
Dimensions (W x D x H)		451 x 460 x 360 mm	451 x 460 x 413 mm	
Weight		16.8 kg	20.5 kg	
Power Consumption (Maximum)		850 W or less		
Power Consumption (Average; During Operation)		Approx. 370 W		
Power Consumption (Average; During Standby)		Approx. 11 W		
Power Consumption (Average; During Sleep)		Approx. 0.8W (USB/ LAN / Wi-Fr)		
Noise Levels(*5)	During Operation	Sound Pressure Level: 49 dB, Sound Power Level: 68.7 dB	Sound Pressure Level: 51 dB, Sound Power Level: 69.4 dB	
	During Standby	Sound Pressure Level: Inaudible, Sound Power Level: 43 dB		
Operating Environment	Temperature	10-30°C		
Humidity		20% - 80% RH (no condensation)		
Power Requirements		AC 220 - 240 V(+/- 10%) , 50/60 Hz(+/- 2 Hz)		
Toner Cartridge ^(*6)	Standard	Cartridge 054 BK: 1 500 pages (bundled: 1 500 pages), Cartridge 054 C/M/Y: 1 200 pages (bundled: 680 pages)		
High		Cartridge 054H BK: 3 100 pages, Cartridge 054H C/M/Y: 2 300 pages		
Monthly Duty Cycle ^(*7)		30 000 pages		

*1 Speed of scanning via the document feeder, A4 size, scan resolution 300 x 300 dpi
*2 Based on ITU-T #1 Chart (standard mode).
*3 ScanGear is not available for Windows Server 2003/2008/2012.
*4 The latest drivers for Mac OS and Linux can be downloaded from the https://asia.canon website when available. Only the print function is supported for Linux.
*5 Tested in accordance to ISO 7779 and declared per ISO 9296.

*6 Toner cartridge yield is in accordance with ISO/IEC 19798.
*7 Monithly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon multi-function laser devices, and does not refer to actual maximum image output per month.

Canon Delighting You Always

Canon India Pvt. Ltd.

7th Floor, Tower B, Building #5, DLF Epitome Building, DLF Phase III, Gurugram-122002 Ph.: 0124-4160000 | Fax: 0124-4160011 | Web: in.canon

Dealer's Stamp

0217W184 © 2024 Canon India Pvt.Ltd.All rights reserved.

021/W1184 © 2024 Canon India PVI. Ltd. All rights reserved. This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document. Canon, imageCLASS, Business Can Be Simple and Canon PRINT Business App are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks for their respective owners.