



Built for **Business**

MegaTank High Performance Multifunction for High Volume Printing

The MegaTank GX6170 combines blazing print speeds with high-intensity pigment inks for next-generation printing performance. Productivity features in automatic 2-sided printing and a high capacity paper cassette are paired with secure network communications to give businesses the edge. Break away from the competition today with Canon MegaTank business printers.

WATER RESISTANT DOCUMENTS

High density pigment ink produces laser printer-like colour intensity. Text and images stay pristine when in contact with water-spills.



PRINT DOUBLE-SIDED DOCUMENTS WITH EASE

Print on both sides effortlessly and get more done with less paper.



HANDS-FREE SCANNING FOR MULTIPLE DOCUMENTS

Load up to 50 sheets of document originals, receipts or invoices for batch scanning and copying, leaving you more time to work on other projects



NO PAPER RELOADING HASSLE

Raise productivity with up to 350 sheets total capacity that minimises the need for frequent paper reloads. With see-through window to observe remaining paper levels.



UP TO
21 000*
COLOUR PAGES

UP TO
9 000*
MONO PAGES

*Economy Mode

100
250
PAPER
CAPACITY

AUTO 2-SIDED
PRINTING

6.858CM
2.7" TOUCH
LCD

50
50-SHEET ADF

CONNECTIVITY

SPECIFICATIONS / MAXIFY GX6170

PRINT	Maximum Print Resolution		600 (horizontal) x 1 200 (vertical) dpi	
	Print Speed ¹ (Approx.)	ESAT/Simplex (Mono/Colour) ²	24.0 / 15.5 images per minute	
		ESAT/Duplex (Mono/Colour) ²	13 / 10 images per minute	
Auto 2-Sided Printing			5.5 / 7 s	
Scanner Type		Platen / ADF (Auto Document Feeder)		
Scanner Technology		Contact Image Sensor (CIS)		
Optical Resolution		1 200 x 1 200 dpi		
SCAN	Maximum Document Size	Platen	A4, LTR	
		ADF	A4, LTR, LGL	
COPY	Copy Speed ⁴ (Approx.) (Document)	Platen (Colour)	sFCOT/Simplex	
			12 s	
		ADF (Mono/Colour)	sESAT/Simplex	
Maximum Copies		12.7 images per minute		
Maximum Document Size		22.2 / 12.2 images per minute		
Maximum Input Capacity (Plain Paper, 64 g/m ²)		99 copies		
Media Size		A4, LTR		
PAPER HANDLING	Media Size	Rear Tray		
		A4, A5, A6, B5, LTR, LGL, 4 x 6", 5 x 7", 7 x 10", 8 x 10", Square (127 x 127 mm), Envelope (COM10, DL, C5, Monarch), B-Oficio, M-Oficio, Foolscap, Legal (India), Executive, Custom size (width: 89 - 216 mm, length: 127 - 1 200 mm)		
		Cassette		
	Auto Document Feeder	A4, LTR, A5, B5, Executive, Custom size (width: 148 - 215.9 mm, length: 210 - 297 mm)		
Media Type	Rear Tray	Auto 2-sided Printing		
		A4, LTR		
		Plain Paper (64 - 105 g/m ²) High Resolution Paper (HR-101N) Photo Paper Pro Luster (LU-101) Photo Paper Plus Glossy II (PP-201, PP-208) Matte Photo Paper (MP-101) Envelope		
	Cassette	Plain Paper (64 - 105 g/m ²)		
Operating System Compatibility		Windows 11 / 10 / 8.1 / 7 SP1 ⁵ macOS 11.7.6 - 14 or later, Chrome OS		
GENERAL	Connectivity	Network		
		Wireless LAN IEEE 802.11b/g/n Wired LAN IEEE 802.3u (100BASE-TX) / IEEE 802.3 (10BASE-T)		
Canon Printing Apps	Mobile (iOS/Android)	Interface		
		USB 2.0, USB Flash Memory		
Mobile/Cloud Printing Solutions	PC (Windows/Mac)	Canon PRINT, Easy-PhotoPrint Editor, Creative Park		
		Canon PRINT, Easy-PhotoPrint Editor, Easy-Layout Editor (Win only), PosterArtist Lite (Win only), PosterArtist Web (browser-based)		
Power		AirPrint®, Mopria® Print Service, Canon Print Service (Android), Direct Wireless, Cloud Integration Service		
Power Consumption ⁶ (Approx.)		AC 100 - 240 V, 50/60 Hz		
Recommended Monthly Print Volume		20 W (Standby: 0.9 W)		
Operation Panel		300 - 2 500 pages		
Dimensions (W x D x H) (Approx.)		6.858cm (2.7") LCD (Touchscreen, Colour)		
Weight (Approx.)		399 x 416 x 238 mm		
CONSUMABLES	Ink Bottles	9 kg		
		All Pigment Ink / Black, Cyan, Magenta, Yellow		
		Page Yield ⁷	A4 Colour Documents ⁸ GI-76 PG BK: 6 000 (Economy Mode ⁹ 9 000) GI-76 C, M, Y: 14 000 (Economy Mode ⁹ 21 000)	
User Replaceable Maintenance Cartridge		MC-G01		

Specifications are subject to change without notice. For detailed specifications, please refer to product information on <https://asia.canon>.

¹. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

². Document print speeds are the average of ESAT, based on the Office Category Test (Word, Excel, PDF), the default simplex mode, and the ISO/IEC 24734 standard.

³. Document print speeds are the average of FPOT, based on the Office Category Test, the default simplex mode, and the ISO/IEC 17629 standard.

⁴. Copy speeds are the average of sFCOT and sESAT, based on ISO/IEC 29183 standard. Copy speeds (ADF) are ESAT of copy in sequence, based on ISO/IEC 24735 standard. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warm-up time.

⁵. Operation can only be guaranteed on a PC with a pre-installed Windows 7 or later.

⁶. When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

⁷. Page yields may vary depending on content coverage, print settings, temperature, humidity, and frequency of printing.

⁸. Declared yield value is the estimated value based on Canon internal test method using the ISO/IEC 24712 colour chart and continuous printing simulation with the replacement ink bottles after initial setup. The colour yield is based on 1 set of composite colour (Cyan, Magenta, Yellow) ink bottles.

⁹. The Economy mode reduces the ink consumption by lowering the density. More pages can be printed using this mode.



Delighting You Always

CANON INDIA PVT. LTD.

7th Floor, Tower B, Building #5, DLF Epitome Building, DLF Phase III, Gurugram-122002

Ph.: 0124-4160000 | Fax: 0124-4160011 | Web: in.canon

DEALER'S STAMP

This document is for information purpose only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document. Brands and product names are trademarks and/or registered trademarks of their respective owners.