

PIXMA PRO-200S

Canon

Delighting You Always



Made to *Impress*

High-Performance A3+ Photo Printer Designed for Photographers

Transform your creative vision into stunning reality with the PIXMA PRO-200S. This versatile printer utilises an 8-colour dye ink system, allowing for a wider colour gamut and vibrant prints that capture the essence of your images. With the capability to print up to A3+ size, the PIXMA PRO-200S is ideal for producing stunning photographs and art reproductions.



CONNECTIVITY



DIRECT WIRELESS CONNECTION

IMAGING
**POSSIBILITIES
& BEYOND**

VIVID COLOUR REPRODUCTION



The ChromaLife100+ ink system delivers enhanced colour accuracy and print longevity, with deeper blacks, richer reds, and an expanded colour gamut that makes every photo stand out vibrantly. This advanced formulation keeps your prints vivid and fade-resistant for years to come.

FEATURES



VERSATILE PAPER HANDLING FOR CREATIVE PRINTING

The PRO-200S supports your creative vision with options to customize border margins for perfect framing, support for panorama-sized paper (210 x 594 mm), and the ability to print on long paper lengths up to 990.6 mm.




7.62cm (3.0") COLOUR LCD

A 7.62cm (3.0") colour LCD display panel enables easy navigation of printer functions, offering a quick overview of ink levels, making operation smooth and simple.



MOBILE AND CLOUD PRINTING

Efficiently print from smartphones, tablets, laptops and cloud storage with the Canon PRINT and Easy-PhotoPrint Editor apps.



RELIABLE PAPER FEEDING

An automatic skew correction function prevents mistakes in paper alignment and helps reduce paper wastage.

STREAMLINE YOUR PRINTING PROCESSES

Smoothen your workflows with Canon's complimentary software applications designed to enhance workflow efficiency.




PROFESSIONAL PRINT & LAYOUT

Simplify your printing process with the Professional Print & Layout feature, offering a range of useful functions to help you to effortlessly create stunning, professional-quality prints.



MEDIA CONFIGURATION TOOL


The Media Configuration Tool enables users to effortlessly register various media types with their printers and customise media display preferences for a seamless printing experience.



POSTERARTIST WEB

Experiment with bold colours, attractive imagery with minimal efforts. Canon PosterArtist Web application offers quick and easy access to hundreds of professionally designed templates, from posters, banners and flyers to menus, party invites, calendars, certificates and more.

Visit <https://posterartist.canon>



EASY-LAYOUT EDITOR

A desktop application that allows you to freely design, layout and print documents, images and more with simple controls. Print multiple Word documents and PDF files at once or create large posters using multiple sheets of paper.



SPECIFICATIONS				PRO-200S		
PRINT	Maximum Printing Resolution ¹			4 800 (horizontal) x 2 400 (vertical) dpi		
	Print Speed ² (approx.)	Photo (A3+, Bordered)	Colour, PT-101	1 min 30 s		
			Mono, PT-101	2 min 50 s		
		Photo (4 x 6", Borderless)	Colour, PT-101	35 s		
PAPER HANDLING	Printable Width	Bordered Printing		Top Tray: Up to 322.2 mm Manual Feed: Up to 323.4 mm		
		Borderless Printing		Top Tray/ Manual Up to 329 mm		
	Media Size	Top Tray		A3+, A3, A4, A5, B4, B5, LTR, LGL, LDR, Hagaki, L, 2L, 4 x 6", 7 x 10", 8 x 10", 10 x 12", 12 x 12", Square (127 x 127 mm), 210 x 594 mm, Envelopes (DL, COM10) Custom size: Width 89 - 329 mm; Length 127 - 990.6 mm		
		Manual Feed		A3+, A3, A4, B4, LTR, LGL, LDR, 8 x 10", 10 x 12", 12 x 12", 210 x 594 mm, Custom size: Width 203.2 - 330.2 mm; Length 254 - 990.6 mm		
		Multi-Purpose Tray		Printable Disc (120 x 120 mm)		
		Borderless Printing		Up to A3+		
	Media Type ³	Canon		Top Tray/Manual Feed: High Resolution Paper (HR-101N), Photo Paper Plus Glossy II (PP-201, PP-208), Glossy Photo Paper (GP-508), Photo Paper Plus Semi-Gloss (SG-201), Photo Paper Pro Luster (LU-101), Photo Paper Pro Platinum (PT-101), Matte Photo Paper (MP-101) Manual Feed only: Photo Paper Pro Premium Matte (PM-101), Premium Fine Art Rough (FA-RG1)		
		Others		Fine Art Papers, Canvas, Photo Papers, Colour Papers (80 g/m²), Envelope, T-Shirt Transfer, Plain Paper Multi-Purpose Tray only: Printable Disc		
	Paper Weight/Thickness	Top Tray		Plain Paper (64 - 105 g/m²) Canon Genuine paper (max.): approx. 380 g/m²		
		Manual Feed		Canon Genuine paper (max.): approx. 380 g/m²; Paper Thickness 0.1 ~ 0.6 mm or less		
NETWORK SYSTEM REQUIREMENTS & GENERAL SPECIFICATIONS	Operating System Compatibility		Please visit https://asia.canon/support to confirm OS compatibility and to download the latest drivers.		Windows 11 / 10 / 8.1 / 7 SP1 ⁴ , macOS 11.7.10 ~ 14 or later, Chrome OS	
	Connectivity	Network		Wireless LAN IEEE 802.11b/g/n, Wired LAN 100Base-TX/10Base-T		
		Interface		USB 2.0		
	Canon Printing Apps	Mobile		Canon PRINT, Easy-PhotoPrint Editor		
		Others		Easy-Layout Editor, PosterArtist Lite, PosterArtist (Web), Professional Print & Layout, Media Configuration Tool, Easy-PhotoPrint Editor		
	Mobile/Cloud Printing Solutions			AirPrint®, Mopria® Print Service, Canon Print Service (Android), Direct Wireless, Cloud Service		
	Power			AC 100 - 240 V, 50/60 Hz		
	Power Consumption			17 W (Standby: 1.1 W)		
	Operation Panel		Display	7.62cm (3.0") Colour LCD		
	Dimensions (W x D x H)			639 x 379 x 200 mm		
	Weight			14.1 kg		
CONSUMABLES	Ink Cartridges	Type/Colours		Dye-Based Ink / Black, Grey, Light Grey, Cyan, Magenta, Yellow, Photo Cyan, Photo Magenta		
		Page Yield ⁵	Photo Paper, PT-101	CLI-65 BK: 69 CLI-65 GY: 96 CLI-65 LGY: 139		A3+ Colour ⁶ CLI-65 C: 51 CLI-65 PC: 59 CLI-65 M: 77 CLI-65 PM: 54 CLI-65 Y: 55
				CLI-65 BK: 43 CLI-65 GY: 35 CLI-65 LGY: 44		A3+ Mono ⁶ CLI-65 C: 181 CLI-65 PC: 78 CLI-65 M: 270 CLI-65 PM: 108 CLI-65 Y: 250
				CLI-65 BK: 860 CLI-65 GY: 595 CLI-65 LGY: 965		4 x 6" Colour ⁷ CLI-65 C: 482 CLI-65 PC: 275 CLI-65 M: 610 CLI-65 PM: 320 CLI-65 Y: 295

Specifications are subject to change without notice.

^{*1} Ink droplets can be placed with a pitch of 1/4800 inch at minimum.

^{*2} Photo print speed is based on the default setting using ISO/JIS-SCID N2 and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

^{*3} For more information on maximum paper handling capacity and media types, please refer to <https://asia.canon>.

^{*4} Operation can only be guaranteed on a PC with a pre-installed Windows 7 or later.

^{*5} Page yields may vary depending on content coverage, print settings, temperature, humidity, and frequency of printing. Please refer to the paper package or the instruction manual supplied with the paper for temperature and humidity conditions of the photo printing papers.

^{*6} Declared yield value is the estimated value based on Canon individual test method using ISO/JIS-SCID N2 test file at 11 x 14" continuously on A3+, Photo Paper Pro Platinum (PT-101), with the default settings of testing paper using Windows 10 printer driver and Photoshop CC.

^{*7} Declared yield value is in accordance with ISO/IEC 29102, using the ISO/IEC 29103 chart. Values obtained by continuous printing.

Canon
Delighting You Always

CANON INDIA PVT. LTD.

7th Floor, Tower B, Building #5, DLF Epitome Building, DLF Phase III, Gurugram-122002
Ph.: 0124-4160000 | Fax: 0124-4160011 | Web: in.canon

DEALER'S STAMP

This document is for general information only and contents are subject to change without notice. Errors and omissions excepted. Weight and dimensions are approximates. Options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations in connection with this document. Trademarks belong to their respective owners.