



K A P R I N T E R

**OUR NEW RANGE OF
PIXMA G SERIES INK TANK PRINTERS**

For High Volume Lowest Cost Printing



PRINT FREELY WITHOUT WORRYING ABOUT COST OF INK



High-speed printing

UP TO 8,300*¹⁰ BLACK & WHITE
PAGES AND 7,700*¹⁰ COLOUR PAGES



PIXMA refillable ink tank printers come with so much ink, they let you print freely without ever having to worry about the cost of printing ever again! The bundled ink bottles deliver up to 8,300*¹⁰ monochrome* and 7,700*¹⁰ full-colour documents, making these printers ideal for homes and offices.

*Economy Mode

LARGE TANKS, HIGH
VOLUME PRINTING

NO NEED TO REPLACE
INK CARTRIDGES

ERROR-FREE, SPILL-
RESISTANT REFILLING

Integrated Ink Tank Design

The integrated ink tanks lead to a more compact body and smaller footprint. The see-through ink tank design also allows remaining ink levels to be monitored easily.

Quick and Mess-Free Ink Refilling

The ink bottles are anti-drip* and spill-resistant to keep tables and documents free from unintended ink smears during refilling. Unique nozzle-and-receptacle identifiers on both bottles and printer ink tanks mean users will never suffer the consequences of accidentally filling inks into the wrong colour tanks.

*Applicable to selected models only.



Easy Maintenance and Extended Lifetime Usage



With a replaceable print head* and maintenance cartridge* design, users can look forward to minimum downtime and maximum productivity, and extended printer lifetime.

*Applicable for selected models and regions only.

99% Monochrome Printing

– with the occasional dash of colour if needed

Canon GM series printers are versatile ink tank printers instilled with the sole mission to printing large volumes of text-based documents in black-and-white at low-cost, without the need to ever spend on coloured inks. But unlike other monochrome printer designs on the market, the printers offer the option to still print in colour on occasion – by inserting a colour ink cartridge only when needed.



Guided Instructions on 5.08cm LCD Panel



A 5.08cm LCD* display with guided instructions makes device operation and settings easy without the need to refer to the user manuals.

*Applicable to selected models only.





LASER-LIKE
QUALITY PRINTS

ELIMINATE FREQUENT
RELOAD OF PAPERS

Large Paper Cassettes for Less Frequent Reloading

Load up to 350 paper sheets* for heavy print jobs, eliminating the need to reload frequently. A viewing window at the front of the paper cassette allows monitoring of remaining paper levels without the need to pull out the cassette for inspection.



35-Sheet Auto Document Feeder

for Hands-Free Scanning
and Copying

Up to 35 sheets of document originals can be loaded for batch scanning and copying, eliminating the need for repeated opening and closing of the scanner lid.



Versatile Printing on Plain and Glossy Papers

Pigment black ink delivers high contrast text legibility and fine lines, while coloured dye inks combine to great effect for vivid and photo realistic images on glossy papers up to A4* size.




Smart Power Management

An Auto Power ON and OFF feature automatically puts the printer into sleep mode when not in use for some time. The printers also wake up from sleep mode almost immediately when a print job is received.

*Applicable to selected models only.

EASY PRINTING
FROM MOBILE DEVICE

FAST SCANNING
FROM MOBILE DEVICE




Personalised Creations with Easy-PhotoPrint Editor App

Delve into the extensive template collection available for collages, calendars, stickers, business cards and ID photos. Bring your creative ideas to print in just a few steps.



Get Creative with PosterArtist Lite



Canon's PosterArtist Lite is a free software that helps to create eye-catching posters, brochures, flyers, and even menus easily. Take complete in-house design control with a user-friendly interface, with hundreds of free templates and clipart to kick-start your projects.



Mobile Printing Solutions with Canon PRINT Inkjet/SELPHY App

The Canon PRINT Inkjet/SELPHY app lets you print, scan, and copy directly from your mobile device, view remaining ink levels, connect the printer to popular cloud services, and even make changes to your printer settings remotely.

FUNCTIONS:

Photo and Document Printing

Print directly from your mobile device.

Smartphone Copy

Capture a document image with your mobile device, with the edges detected automatically and cropped before printing.

Scan to Mobile Devices

Scan directly to your mobile device or iCloud.

Create Photo Items

Quick access to Easy-PhotoPrint Editor app.

*Applicable to selected models only.

SMALL BUSINESS | HOME OFFICE



Refillable Ink Tank Printers for Documents and All-Purpose Printing

Upgrade your productivity with large-capacity paper cassette, full network connectivity and auto duplex printing.



UP TO
8300^{*10}
BLACK & WHITE PAGES*

UP TO
7700^{*10}
COLOUR PAGES

PIXMA G7070



- Print, Scan, Copy, Fax
- Auto Duplex Printing
- 250-Sheet Cassette Plus 100-Sheet Rear Tray
- 5.08cm LCD
- 35-Sheet Auto Document Feeder
- ID Card Copying
- Borderless Photo Printing (up to A4)
- Wireless/Wired LAN, Direct Wireless, Apple AirPrint
- Mobile & Cloud Printing



UP TO
8300^{*10}
BLACK & WHITE PAGES*

UP TO
7700^{*10}
COLOUR PAGES

PIXMA G6070



- Print, Copy, Scan
- Auto Duplex Printing
- 250-Sheet Cassette Plus 100-Sheet Rear Tray
- 5.08cm LCD
- ID Card Copying
- Borderless Photo Printing (up to A4)
- Wireless/Wired LAN, Direct Wireless, Apple AirPrint
- Mobile & Cloud Printing

*Economy mode.

HOME OFFICE | HOME

Work Faster, Work Smarter



PIXMA G4010



Multifunction print centres that do it all.
Print, scan and copy wirelessly by using a
mobile phone or tablet.

- Print, Copy, Scan, Fax
- 100-Sheet Rear Tray
- 5.08cm LCD
- 20-Sheet Auto Document Feeder
- ID Card Copying
- Borderless Photo Printing (up to A4)
- Wireless/Wired LAN, Direct Wireless, Apple AirPrint
- Mobile & Cloud Printing



PIXMA G3060



- Print, Copy, Scan
- 100-Sheet Rear Tray
- 5.08cm LCD
- Borderless Photo Printing (up to A4)
- Wireless LAN, Direct Wireless, Apple AirPrint
- Mobile & Cloud Printing
- Replaceable Maintenance Cartridge



PIXMA G3020



- Print, Copy, Scan
- 100-Sheet Rear Tray
- 5.08cm LCD
- Borderless Photo Printing (up to A4)
- Wireless LAN, Direct Wireless, Apple AirPrint
- Mobile & Cloud Printing
- Replaceable Maintenance Cartridge



PIXMA G3010



- Print, Copy, Scan
- 100-Sheet Rear Tray
- 3cm LCD
- Borderless Photo Printing (up to A4)
- Wireless LAN, Direct Wireless
- Mobile & Cloud Printing



PIXMA G3000



- Print, Copy, Scan
- 100-Sheet Rear Tray
- Borderless Photo Printing (up to A4)
- Wireless LAN, Direct Wireless
- Mobile & Cloud Printing
- 2 Additional Black Ink Bottles Included

MICRO BUSINESS | STUDENTS

Compact Size and Big on Performance


Most affordable Canon refillable ink tank printers
for volume printing and cost savings.



NEW

PIXMA G2060

- Print, Copy, Scan
- 100-Sheet Rear Tray
- 5.08cm LCD
- Borderless Photo Printing (up to A4)
- Replaceable Maintenance Cartridge



NEW

PIXMA G2020

- Print, Copy, Scan
- 100-Sheet Rear Tray
- 5.08cm LCD
- Borderless Photo Printing (up to A4)
- Replaceable Maintenance Cartridge



PIXMA G2010

- Print, Copy, Scan
- 100-Sheet Rear Tray
- 3cm Segment LCD
- Borderless Photo Printing (up to A4)



NEW

PIXMA G1020

- Print Only
- 100-Sheet Rear Tray
- Borderless Photo Printing (up to A4)
- Replaceable Maintenance Cartridge



PIXMA G1010

- Print Only
- 100-Sheet Rear Tray
- Borderless Photo Printing (up to A4)

*Economy mode.

SMALL BUSINESS | HOME OFFICE

Refillable Monochrome Ink Tank Printers for Mostly Text Documents

When all you need is mostly black refillable ink bottles for grayscale printing, ensure that you can still print the occasional colour document when the need arises.



UP TO
8300^{*10}
BLACK & WHITE PAGES*



PIXMA GM4070

- Print, Copy, Scan
- Auto Duplex Printing
- 250-Sheet Cassette Plus 100-Sheet Rear Tray
- 5.08cm LCD
- 35-Sheet Auto Document Feeder
- ID Card Copying
- Wireless/Wired LAN, Direct Wireless
- Mobile & Cloud Printing
- Optional Colour Printing (with CL-741 / CL-741 XL cartridge)

UP TO
8300^{*10}
BLACK & WHITE PAGES*



PIXMA GM2070

- Print Only
- Auto Duplex Printing
- 250-Sheet Cassette Plus 100-Sheet Rear Tray
- 5.08cm LCD
- Wireless/Wired LAN, Direct Wireless
- Mobile & Cloud Printing
- Optional Colour Printing (with CL-741 / CL-741 XL cartridge)

SPECIFICATIONS				G7070	G6070	G4010	G3060 (NEW)	G3020 (NEW)	G3010	G3000
	MRP*14			₹ 30 615.00/U incl. of all taxes	₹ 24 039.00/U incl. of all taxes	₹ 19 515.00/U incl. of all taxes	₹ 17 403.00/U incl. of all taxes	₹ 17 102.00/U incl. of all taxes	₹ 15 675.00/U incl. of all taxes	₹ 15 995.00/U incl. of all taxes
PRINT	Maximum Printing Resolution*1			4,800 (horizontal) x 1,200 (vertical) dpi						
	Number of Ink Bottles			4						
	Print Speed*2 (approx.)	Document: Black & White / Colour	ESAT / Simplex	13.0 images per minute / 6.8 images per minute	8.8 images per minute / 5.0 images per minute	10.8 images per minute / 6.0 images per minute	9.1 images per minute / 5.0 images per minute	8.8 images per minute / 5.0 images per minute	8.8 images per minute / 5.0 images per minute	
		Photo (10.1x15.24cm)	PP-201 / Borderless							45 s
	Borderless Printing*3			Up to A4						
	Auto Duplex Printing	Paper Handling (A4 Plain Paper)		A4, A5, B5, LTR		N/A				
Paper Handling	Input Capacity	Plain Paper (A4, LTR), 64 g/m²	Up to 250 sheets (Cassette) 100 sheets (Rear Tray)		Up to 100 sheets (Rear Tray)					
SCAN*4	Scanner Type / Scanning Method			Flatbed & ADF / CIS (Contact Image Sensor)	Flatbed / CIS (Contact Image Sensor)	Flatbed & ADF / CIS (Contact Image Sensor)	Flatbed / CIS (Contact Image Sensor)			
	Optical Resolution*5			1,200 x 2,400 dpi		600 x 1,200 dpi				
COPY	Maximum Document Size			A4, LTR		A4, LTR				
	Copy Speed*6 (approx.)	Colour Document	sFCOT / Simplex	22 s	20 s	24 s	23 s	28 s	24 s	24 s
			sESAT / Simplex	3.9 images per minute	5.1 images per minute	3.5 images per minute	3.2 images per minute	2.6 images per minute	3.5 images per minute	2.5 images per minute
		Document (ADF)		4.3 images per minute	N/A	2.5 images per minute	N/A			
Multiple Copy (max.)	Black & White / Colour		99 pages		99 pages			20 pages	21 pages	
FAX	Transmission Speed*7 (approx.)	Black & White / Colour	3 s / 1 m (33.6 kbps)	N/A	3 s / 1 m (33.6 kbps)	N/A				
	Transmission / Reception Memory*8 (approx.)		50 pages		50 pages					
	PC Fax		Windows / Mac: Available		Windows / Mac: Available					
	Automatic Group Dialing (max.)		19 locations		19 locations					
NETWORK SYSTEM REQUIREMENTS & GENERAL SPECIFICATIONS	Windows	Please visit https://asia.canon to confirm OS compatibility and to download the latest driver.		Windows 10, Windows 8.1, Windows 7 SP1*9						Windows 10 / 8.1 / 8 / 7 / Vista / XP
	Macintosh			OS X 10.11, macOS 10.12 ~ 10.14	OS X 10.10.5 ~ 10.11, macOS 10.12 ~ 10.14	OS X 10.10.5 ~ 10.11, macOS 10.12	macOS 10.12.6 ~ 10.15		N/A	macOS X 10.7.5 ~ 10.11
	Operation Panel	Display	5.08cm LCD						3cm LCD	N/A
	Auto Document Feeder		35 sheets	N/A	20 sheets	N/A				
	Interface		Wireless LAN IEEE802.11b/g/n, 100 Base-TX/10 Base-T, USB 2.0			Wireless LAN IEEE802.11b/g/n, USB 2.0				Wireless LAN IEEE802.11b/g/n, USB 2.0
	Mobile Printing Applications		Creative Park, Canon PRINT Inkjet/SELPHY, Easy-PhotoPrint Editor, Canon Print Service (Android)							
	Other Connectivity Features		AirPrint, Mopria, PIXMA Cloud Link, Wireless/Wired LAN PictBridge, Direct Wireless			AirPrint, Mopria, PIXMA Cloud Link, Direct Wireless			Mopria, PIXMA Cloud Link, Direct Wireless	
	Recommended Monthly Print Volume		150 - 1,500 pages							
	Power Consumption (approx.)		15 W (1.0 W standby)	15 W (0.8 W standby)	10 W (0.9 W standby)	15 W (0.7 W standby)	16 W (0.6 W standby)	11 W (1.2 W standby)	14 W (1.7 W standby)	
	Dimensions (W x D x H) (approx.)		403 x 369 x 234 mm	403 x 369 x 195 mm	445 x 330 x 197 mm	445 x 330 x 167 mm		445 x 330 x 163 mm	445 x 330 x 163 mm	
	Weight (approx.)		9.6 kg	8.1 kg	7.3 kg	6.4 kg		6.3 kg	5.8 kg	
User Replaceable Maintenance Cartridge		N/A			YES		N/A	N/A		
PAGE YIELD	Plain Paper, A4 (ISO/IEC 24712 test file)*10 (Pages)	Standard	GI-70 PGBK: 6,000 GI-70 C/M/Y: 7,700		GI-790 PGBK: 6,000 GI-790 C/M/Y: 7,000		GI-71 PGBK: 6,000 GI-71 C/M/Y: 7,700		GI-790 PGBK: 6,000 GI-790 C/M/Y: 7,000	GI-790 PGBK: 6,000 GI-790 C/M/Y: 7,700
		Economy*11	GI-70 PGBK: 8,300		N/A		GI-71 PGBK: 7,600		N/A	N/A
	Photo Paper, PP-201 (10.16x15.24cm) (ISO/IEC 29103 test file)*10 (Sheets)		GI-70 PGBK: N/A*13 GI-70 C/M/Y: 2,200		GI-790 PGBK: N/A*13 GI-790 C/M/Y: 2,000		GI-71 PGBK: N/A*13 GI-71 C/M/Y: 2,200		GI-790 PGBK: N/A*13 GI-790 C/M/Y: 2,000	GI-790 PGBK: N/A*13 GI-790 C/M/Y: 2,000

*1 Ink droplets can be placed with a pitch of 1/4,800 inch at minimum.

*2 Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used, etc.

*3 Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers.

*4 TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source Manager comes with the operating system.

*5 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard. Optical resolution scan is available, only when you use TWAIN Driver.

*6 Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC 24735. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warm-up time.

*7 Black & White document fax transmission speed is based on default setting using ITU-T No. 1 chart. Colour document fax transmission speed is based on default setting using Canon Colour Fax Test Sheet. Actual transmission speed may vary depending on document complexity, fax settings at receiving end and line conditions, etc.

*8 Page count is based on No.1 chart or Canon Fax Standard Chart No. 1.

SPECIFICATIONS				G2060 (NEW)	G2020 (NEW)	G2010	G1020 (NEW)	G1010	GM4070	GM2070	
PRINT	MRP*14			₹ 14 203.00/U incl. of all taxes	₹ 13 922.00/U incl. of all taxes	₹ 12 595.00/U incl. of all taxes	₹ 11 048.00/U incl. of all taxes	₹ 9 175.00/U incl. of all taxes	₹ 17 868.00/U incl. of all taxes	₹ 14 299.00/U incl. of all taxes	
	Maximum Printing Resolution*1			4,800 (horizontal) x 1,200 (vertical) dpi					600 (horizontal) x 1,200 (vertical) dpi		
	Number of Ink Bottles			4					1		
	Print Speed*2 (approx.)	Document: Black & White / Colour	ESAT / Simplex	10.8 images per minute / 6.0 images per minute	9.1 images per minute / 5.0 images per minute	8.8 images per minute / 5.0 images per minute	9.1 images per minute / 5.0 images per minute	8.8 images per minute / 5.0 images per minute	13.0 images per minute / 6.8 images per minute		
		Photo (10.16x15.24cm)	PP-201 / Borderless	45 s	45 s	60 s	45 s	60 s	N/A		
	Borderless Printing*3			Up to A4				A4, LTR, 10.16x15.24 cm	Up to A4	N/A	
	Auto Duplex Printing	Paper Handling (A4 Plain Paper)		N/A					A4, A5, B5, LTR		
Paper Handling	Input Capacity	Plain Paper (A4, LTR), 64 g/m ²	Up to 100 sheets (Rear Tray)					Up to 250 sheets (Cassette) 100 sheets (Rear Tray)			
SCAN**	Scanner Type / Scanning Method			Flatbed / CIS (Contact Image Sensor)			N/A		Flatbed / CIS (Contact Image Sensor)	N/A	
	Optical Resolution*5			600 x 1,200 dpi					1,200 x 2,400 dpi		
COPY	Maximum Document Size			A4, LTR			N/A		A4, LTR	N/A	
	Copy Speed*6 (approx.)	Colour Document	sFCOT / Simplex	23 s	28 s	32 s			12 s (Black & White)		
			sESAT / Simplex	3.2 images per minute	2.6 images per minute	1.7 images per minute			10.7 images per minute (Black & White)		
		Document (ADF)		N/A					11.5 images per minute (Black & White)		
	Multiple Copy (max.)	Black & White / Colour		99 pages	99 pages	20 pages			99 pages		
NETWORK SYSTEM REQUIREMENTS & GENERAL SPECIFICATIONS	Windows	Please visit https://asia.canon to confirm OS compatibility and to download the latest driver.		10, Windows 8.1, Windows 7 SP1**9	Windows 10 / 8.1 / 7 SP1**9						
	Macintosh			macOS 10.12.6 ~ 10.15	macOS 10.12.6 ~ 10.15	N/A	macOS 10.12.6 ~ 10.15	N/A			
	Operation Panel	Display	5.08cm LCD	5.08cm LCD	3cm LCD	N/A		5.08cm LCD	N/A		
	Auto Document Feeder		N/A					35 sheets	N/A		
	Interface		USB 2.0	USB 2.0				Wireless LAN IEEE802.11b/g/n, 100 Base-TX/10 Base-T, USB 2.0			
	Mobile Printing Applications		N/A					Canon PRINT Inkjet/SELPHY, Canon Print Service (Android)			
	Other Connectivity Features		N/A					PIXMA Cloud Link, Wireless/Wired LAN PictBridge, Direct Wireless			
	Recommended Monthly Print Volume			150 - 1,500 pages							
	Power Consumption (approx.)			15 W (0.7 W standby)	18 W (0.6 W standby)	9 W (0.6 W standby)	15 W (0.6 W standby)	11 W (0.6 W standby)	10 W (0.8 W standby)	13 W (0.8 W standby)	
	Dimensions (W x D x H) (approx.)			445 x 330 x 167 mm	445 x 330 x 167 mm	445 x 330 163 mm	445 x 330 x 135 mm		403 x 369 x 234 mm	403 x 369 x 166 mm	
	Weight (approx.)			6.4 kg	6.4 kg	6.3 kg	4.8 kg		9.2 kg	6.0 kg	
	User Replaceable Maintenance Cartridge			YES	YES	N/A	YES	N/A			
PAGE YIELD	Plain Paper, A4 (ISO/IEC 24712 test file)**10 (Pages)	Standard	GI-71 PGBK: 6,000 GI-71 C/M/Y: 7,700	GI-71 PGBK: 6,000 GI-71 C/M/Y: 7,700	GI-790 PGBK: 6,000 GI-790 C/M/Y: 7,700	GI-71 PGBK: 6,000 GI-71 C/M/Y: 7,700	GI-790 PGBK: 6,000 GI-790 C/M/Y: 7,000	GI-70 PGBK**12: 6,000 Optional: CL-741: 180 CL-741XL: 400			
		Economy**11	GI-71 PGBK: 7,600	GI-71 PGBK: 7,600	N/A	GI-71 PGBK: 7,600	N/A	GI-70 PGBK: 8,300			
	Photo Paper, PP-201 (10.16x15.24cm) (ISO/IEC 29103 test file)**10 (Sheets)		GI-71 PGBK: N/A**13 GI-71 C/M/Y: 2,200	GI-71 PGBK: N/A**13 GI-71 C/M/Y: 2,200	GI-790 PGBK: N/A**13 GI-790 C/M/Y: 2,000	GI-71 PGBK: N/A**13 GI-71 C/M/Y: 2,200	GI-790 PGBK: N/A**13 GI-790 C/M/Y: 2,000	N/A			

*9 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.

*10 Declared yield value in accordance with ISO/IEC 24711 (for A4) using ISO/IEC 24712 test file, and ISO/IEC 29102 (for 10.16x15.24cm) using ISO/IEC 29103 test file. Value obtained by continuous printing.

*11 The economy mode reduces the black ink consumption by lowering the density, up to 38% more pages than the standard mode can be printed.

*12 This printer is a monochrome printer. Print colour document with optional colour cartridge. Once the installed colour cartridge is depleted, please replace with a new colour cartridge or a contact protector has to be installed.

*13 Black ink is not used when pinting under this condition. However, a minimal amount of black ink is used for maintenance purpose.

*14 Irrespective of the MRP mentioned on this catalogue, customers are advised to check the actual MRP label on the box before concluding the purchase. The MRP printed on the box should be considered as the actual MRP".

NOTE:

All printers work in Operating Environment of Temperature: 5 - 35°C; Humidity: 10 - 90% RH (no dew condensation).

The performance of the printer may be reduced under certain temperature and humidity conditions.

All printers work in Storage Environment of Temperature 0 - 40°C; 5 - 95% RH (no dew condensation).

For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.

Canon Care App For Service Request / Printer Installation

Scan to Download the Canon Care App
(For Android users only)



Service Request on
Whatsapp

Initiate a chat
with us
91085 10853



CANON INDIA PVT. LTD.

7th Floor, Tower B, Building #5, DLF Epitome Building, DLF Phase III, Gurugram-122002
Ph.: 0124-4160000 | Fax: 0124-4160011 | Web: in.canon

Dealer's Stamp

0217W187 © 2020 Canon India Pvt. Ltd. All rights reserved.
This document is for general information only and contents are subject to change without notice. Errors and omissions accepted. Weights and dimensions are approximates. Options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations in connection with this document.
Trademarks belong to their respective owners.