

# MATERIAL SAFETY DATA SHEET

	IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
Product Name:	Canon Color BJ Cartridge BC-33e
<b>Product Code:</b>	4611A / F45-2071
Manufacturer:	Canon Inc.
	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan
Supplier:	Canon Singapore Pte Ltd
	1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632
	cspl_msds@canon.com.sg
Use of the Product:	Ink for Ink Jet Printer

# SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m <sup>3</sup> Respirable fraction TWA = 5 mg/m <sup>3</sup>	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
Ethylene glycol (Contained in cyan and magenta ink)	107-21-1 / 203-473-3	2 - 6	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m <sup>3</sup>	TWA = 20  ppm, $52 \text{ mg/m}^3$ STEL = 40  ppm, $104 \text{ mg/m}^3$	10 ppm, 26 mg/m <sup>3</sup>
Diethylene glycol	111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m <sup>3</sup>
Copper, [29H,31H-phthalocyaninato(2-) -N29,N30,N31,N32] -, aminosulfonyl sulfo derivs., sodium salts (Contained only in cyan ink)	90295-11-7 / 291-001-7	2 - 6	Xi / R36	Not established	Not established	Not established	Copper and its compounds Inhalable fraction 1.0 mg/m <sup>3</sup>
Isopropyl alcohol (Contained in cyan , magenta and yellow ink)	67-63-0 / 200-661-7	1 - 3	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m <sup>3</sup>	TWA = 400 ppm, 983 mg/m <sup>3</sup> STEL = 500 ppm, 1230 mg/m <sup>3</sup>	Not established	200 ppm, 500 mg/m <sup>3</sup>
Quinoline derivative (Contained only in magenta ink)	Confidential	1 - 3	Xi / R36	Not established	Not established	Not established	Not established
Triazine derivative (Contained only in magenta ink)	Confidential	1 - 3	Xi / R36 R52/53	Not established	Not established	Not established	Not established
Ammonium benzoate (Contained only in black ink)	1863-63-4 / 217-468-9	1 - 3	Xi / R36	Not established	Not established	Not established	Not established
Ammonia derivative (Contained in cyan , magenta and yellow ink)	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Triol (Contained only in black	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
ink) Water	7732-18-5 / 231-79-12	60 - 80	None / None	Not established	Not established	Not established	Not established

< Carcinogen > Chemical Name

CAS # Reference

None

# SECTION 3 HAZARDS IDENTIFICATION

### **EU Classification:**

Not classified as dangerous.

#### **Emergency Overview:**

A set of four colors ink cartridges. (Black, Cyan, Magenta and Yellow) All the ink is liquid mixture with slight odor.

### **Potential Health Effects and Symptoms:**

### Inhalation:

No adverse effects are expected under intended use.

Glycerin mist may cause physical irritation and difficulty breathing.

Over exposure to ethylene glycol, diethylene glycol and/or isopropyl alcohol may cause headache, nausea, dizziness, vomiting, drowsiness, cough and sore throat.

#### Ingestion:

Ingestion of glycerin, ethylene glycol, diethylene glycol and/or isopropyl alcohol may cause headache, nausea, dizziness, vomiting, drowsiness, abdominal pain, dullness, diarrhea and sore throat.

### Eye:

Black and Magenta : May cause minimal irritation based on the animal test data of similar composition ink. Cyan and Yellow : May cause minimal irritation based on the animal test data of this ink. (See SECTION 11)

#### Skin:

Black : May be no irritation and no sensitization based on the animal test data of similar composition ink. Cyan and Yellow : May cause mild irritation and no sensitization based on the animal test data of this ink. Magenta : May cause mild irritation and no sensitization based on the animal test data of similar composition ink. (See SECTION 11)

#### **Chronic Effects:**

Not identified

#### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

#### SECTION 4 FIRST AID MEASURES

#### **First Aid Measures:**

### Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eye:

Immediately flush with water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

### Skin:

Wash with water and soap or mild detergent. If irritation persists, obtain medical advice.

Note to Physicians:

None



# SECTION 5 FIRE FIGHTING MEASURES

### **Fire Fighting Measures:**

## Extinguishing Media:

 $CO_2$ , water, foam or dry chemicals

### **Unsuitable Extinguishing Media:**

None

### **Special Fire Fighting Procedures:**

None
Unusual Fire and Explosion Hazards:

None

#### Fire and Explosive Properties (See also Section 9):

**Hazardous Combustion Products:** 

#### CO, CO, and NOx

#### **Other Properties:**

None

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions:**

Avoid contact with skin, eyes and clothing.

#### **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

#### Method for Cleaning Up:

Wipe off with wet cloth or paper.

### SECTION 7 HANDLING AND STORAGE

### Handling:

Use with adequate ventilation. Avoid contact with skin, eyes and clothing. When contact, wash out immediately.

#### Storage:

Keep in a cool and dry place. Keep away from heat and flame. Protect from sunlight. Keep out of the reach of children.

### **Specific Uses:**

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

### SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Not established for this ink. (Also refer to SECTION 2)

#### **Engineering Controls:**

Use adequate ventilation.

#### **Personal Protection Equipment(s):**

<b>Respiratory Protection:</b>	Required
	Not Required
<b>Eye/Face Protection:</b>	Required
	Not Required
Skin Protection:	Required
	Not Required



SECTION 9 PHYSICAL AND CH	IEMICAL PROPERTIES
Appearance:	Black, cyan, magenta and yellow liquid
Odor:	Slight odor
pH:	7.7 - 10.4
Boiling Point/Range(°C):	Not available
Melting Point/Range(°C):	Not available
<b>Decomposition Temperature(°C):</b>	Not available
Flash Point(°C):	Black : Estimate None Color : Estimate 55 - 57 (Tag.closed cup. Do not sustain combustion.)
Flammable (Explosive) Limits:	Not available
Autoignition Temperature(°C):	Not available
Flammability:	Black : Neither flammable nor combustible. Color : Classified as "Combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.
Explosive Properties:	None
Oxidizing Properties:	None
Vapor Pressure :	Not available
Vapor Density :	Not available
Density / Specific Gravity:	1.04 - 1.10
Water Solubility :	Miscible
Fat Solubility :	Not available
Partition Coefficient (n-Octanol/Water)	Not available
Percent Volatile (%):	60 - 80
Evaporation Rate:	Not available
Viscosity (mPa s):	1.7 - 2.6
SECTION 10 STABILITY AND R	EACTIVITY
Stability:	X Stable □ Unstable
Conditions to Avoid:	None
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents
Hazardous Decomposition Products:	CO, CO <sub>2</sub> , NOx and Ammonia
Hazardous Polymerization:	☐ May Occur

None

**Conditions to Avoid:** 



# SECTION 11 TOXICOLOGICAL INFORMATION

#### Acute Toxicity:

Inhalation:

Not available

#### **Ingestion:**

Cyan : Estimated  $LD_{50} > 2500 \text{ mg/kg}$ , 0/6 mortalities at 2000 mg/kg (rat) Magenta : [Data of similar composition ink] Estimated  $LD_{50} > 2500 \text{ mg/kg}$  (rat) OECD Guidelines No.423 (1996) 96/54/EC Method B1 tris

Black and Yellow : Not available

#### Eye:

Cyan : Minimal irritant, Maximum Group Mean Score = 6.0, Class 3 (rabbit) Yellow : Minimal irritant, Maximum Group Mean Score = 4.7, Class 3 (rabbit) Black and Magenta : [Data of similar composition ink] Minimal irritant (rabbit) OECD Guidelines No.405 (1987) 92/69/EEC Method B5

#### Skin:

Cyan : Mild irritant, Primary Irritation Index = 1.8 (rabbit) Yellow : Mild irritant, Primary Irritation Index = 0.2 (rabbit) Black : [Data of similar composition ink] Non irritant (rabbit) Magenta : [Data of similar composition ink] Mild irritant (rabbit) OECD Guidelines No.404 (1992) 92/69/EEC Method B4

#### Sensitization:

Cyan and Yellow : Non sensitizer, Sensitization rate = 0 % (0/10) (guinea pig) Black and Magenta : [Data of similar composition ink] Non sensitizer (guinea pig) OECD Guidelines No.406 (1992) 96/54/EC Method B6

### Mutagenicity:

Ames test : All colors : Negative (test strains: *S.typhimurium & E.Coli*)

Chromosome aberration test :

Magenta : Negative (test strains: *Human peripheral blood lymphocytes*) Black, Cyan and Yellow : Not available

## **Reproductive Toxicity:**

Not available

#### **Carcinogenicity:**

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

# **Others:**

Not available



SECTION 12	ECOLOGICAL INFORMATION
Mobility:	Not available
Persistence / Degradability:	Not available
<b>Bioaccumulation:</b>	Not available
Ecotoxicity:	Not available
Other Adverse Eff	ects: Not available
SECTION 13	DISPOSAL CONSIDERATION
Method of Disposa Disposal may be	al: e subject to federal, state and local laws.
SECTION 14	TRANSPORT INFORMATION
UN #:	None
UN Shipping Nam	e: None
UN Classification:	None
UN Packing Group	o: None
Marine Pollutant:	☐ Yes Chemical name (wt%): X No
<b>Special Precaution</b>	s: None
SECTION 15	REGULATORY INFORMATION
< EU Information Information on th Symbol & Indi	
<b>R-Phrase:</b> Not required	
S-Phrase: Not required	
Dangerous Con None	mponent(s):
Special Precau Not required	tions under 1999/45/EC Annex V:
Specific Provision	s in Relation to Protection of Man or the Environment:
76/769/EEC:	Not regulated
(EC)2037/2000	: Not regulated
(EEC)2455/92:	Not regulated
Others:	None



: USA Information >		
Information on the Label under F	'HSA:	
Signal Word: Not required		
Hazard warning: Not required		
Safety Advice: Not required		
Hazardous Component(s): None		
SARA Title III §313:		
Chemical Name		Weight %
"Ethylene glycol" (107-21-1) (Contained in cyan and magenta ink)		2 - 6
"Copper Compounds" (Contained only in cyan ink) (as Cu)		2 - 6 (< 0.35)
California Proposition 65:		
Chemical Name		Weight %
None		
< Canada Information > WHMIS Controlled Product:	Not applicable (Manufactured article)	
< Australia Information > Statement of Hazardous Nature:	Not classified as hazardous according to cr	iteria of NOHSC.
SECTION 16 OTHER INFOR	RMATION	
<r list="" phrase=""> R11 : Highly flammable. R22 : Harmful if swallowed. R36 : Irritating to eyes. R67 : Vapours may cause drow</r>	siness and dizziness.	

R52/53 : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<Revised information from the previous version> Section 9 <Viscocity>



#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EEC)2455/92
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.
- DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.
- TWA: Time Weighted Average.
- IARC: International Agency for Research on Cancer.
- NTP: National Toxicology Program (USA).
- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).
- FHSA: Federal Hazardous Substances Act (USA).
- WHMIS: Workplace Hazardous Materials Information System.
- NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.