

Issuing date : 12-Mar-2014  
Revision date : 20-Aug-2015

SDS #: TCW 0400 R - 01 GL EN  
Version : 02

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product Identifier**

**Product name** Canon imagePRESS Toner T01 Cyan  
**Product Code(s)** 8067B001  
**Use** Toner for electrophotographic machines

**Details of the supplier of the safety data sheet****Supplier**

Canon Australia Pty Ltd  
Building A, The Park Estate, 5 Talavera Road, Macquarie Park, NSW 2113, Australia  
Email : qse@canon.com.au  
Phone number : (61) 2-9805-2000  
Emergency phone number : 13 11 26 (Within Australia)

Canon New Zealand Limited  
28 The Warehouse Way, Akoranga Business Park, Northcote, Auckland, 0627, New Zealand  
Email : qse@canon.com.au  
Phone number : 0800 222 666 (Within New Zealand)  
Emergency phone number : 0800 764 766 or 0800 POISON (Within New Zealand)

Canon Singapore Pte. Ltd.  
1 HarbourFront Avenue, #04-01 Keppel Bay Tower, Singapore 098632  
Phone number : (65) 6799-8888

Canon India Pvt. Ltd.  
7th Floor, Tower B, DLF Epite, DLF Phase-3, Gurgaon-122002 Haryana, India  
Phone number : (91) 124-416-0000  
Emergency phone number : (91) 124-416-0180

Canon (China) Co. Ltd  
2F., Jinbao Building No.89 Jinbao Street, Dongcheng District, Beijing, 100005, P.R.China

**Manufacturer**

Canon Inc.  
30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

**SECTION 2: Hazards identification****Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**  
Not classified

**Classification according to EU Directives 67/548/EEC or 1999/45/EC**  
Not classified

**Label Elements**

**Labelling according to Regulation (EC) No 1272/2008**  
Not required

**Hazard pictograms**

Not required

**Signal word**

Not required

**Hazard statements**

Not required

**Precautionary Statements - EU (§28, 1272/2008)**

Not required

**Other Information**

None

**Other hazards which do not result in classification**

None

**SECTION 3: Composition/information on ingredients**

**Mixtures**

| Chemical name              | CAS-No     | EC-No     | Weight % | Classification (67/548) | Indication of danger | Classification (Reg. 1272/2008) |
|----------------------------|------------|-----------|----------|-------------------------|----------------------|---------------------------------|
| Polyester resin            | CBI        | CBI       | 70 - 80  | None                    | None                 | None                            |
| Styrene acrylate copolymer | CBI        | CBI       | 5 - 10   | None                    | None                 | None                            |
| Wax                        | CBI        | CBI       | 3 - 10   | None                    | None                 | None                            |
| Pigment                    | CBI        | CBI       | 1 - 5    | None                    | None                 | None                            |
| Amorphous silica           | 7631-86-9  | 231-545-4 | 1 - 5    | None                    | None                 | None                            |
| Titanium dioxide           | 13463-67-7 | 236-675-5 | < 1      | None                    | None                 | None                            |

**SECTION 4: First aid measures**

**Description of first aid measures**

**Inhalation**

Move to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion**

Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur.

**Skin Contact**

Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.

**Eye Contact**

Flush with plenty of water. Get medical attention immediately if symptoms occur.

**Most important symptoms and effects, both acute and delayed**

**Inhalation**

None under normal use. Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

**Ingestion**

None under normal use.

**Skin Contact**

None under normal use.

**Eye Contact**

None under normal use. May cause slight irritation.

**Chronic Effects** None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung damage.

**Indication of any immediate medical attention and special treatment needed**

None

**SECTION 5: Firefighting measures**

**Extinguishing media**

**Suitable extinguishing media**  
Use CO<sub>2</sub>, dry chemical, or foam, Water.

**Unsuitable extinguishing media**  
None

**Special hazards arising from the substance or mixture**

**Special Hazard**  
May form explosive mixtures with air.

**Hazardous combustion products**  
Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

**Advice for firefighters**

**Special protective equipment for fire-fighters**  
None

**SECTION 6: Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

**Environmental Precautions**

Keep out of waterways.

**Methods and material for containment and cleaning up**

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

**Other Information**

None

**SECTION 7: Handling and storage**

**Precautions for safe handling**

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

**Conditions for safe storage, including any incompatibilities**

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

**Specific end uses**

Toner for electrophotographic machines. Obtain special instructions before use.

**SECTION 8: Exposure controls/personal protection**

**Control parameters**

**Exposure Limits**

| Chemical name                  | EU OEL | Australia OEL                            | OSHA PEL  | ACGIH TLV                 |
|--------------------------------|--------|--|---|---------------------------|
| Amorphous silica<br>7631-86-9  | None   | TWA: 2 mg/m <sup>3</sup> respirable dust | TWA: 20 mppcf<br>: (80)/(% SiO <sub>2</sub> ) mg/m <sup>3</sup> TWA | None                      |
| Titanium dioxide<br>13463-67-7 | None   | TWA: 10 mg/m <sup>3</sup> inhalable dust | TWA: 15 mg/m <sup>3</sup> total dust                                | TWA: 10 mg/m <sup>3</sup> |

**Appropriate engineering controls** None under normal use conditions.

**Individual protection measures, such as personal protective equipment**

|                               |                                |
|-------------------------------|--------------------------------|
| <b>Eye/face Protection</b>    | Not required under normal use. |
| <b>Skin Protection</b>        | Not required under normal use. |
| <b>Respiratory Protection</b> | Not required under normal use. |
| <b>Thermal hazards</b>        | Not Applicable                 |

**SECTION 9: Physical and chemical properties**

**Information on basic physical and chemical properties**

|   |                                      |
|---|--------------------------------------|
| <b>Appearance</b>                             | Cyan ; powder                        |
| <b>Odor</b>                                   | Slight odor                          |
| <b>Odor threshold</b>                         | No data available                    |
| <b>pH</b>                                     | Not Applicable                       |
| <b>Melting/Freezing point (°C)</b>            | 85-120 (Softening point)             |
| <b>Boiling Point/Range (°C)</b>               | Not Applicable                       |
| <b>Flash Point (°C)</b>                       | Not Applicable                       |
| <b>Evaporation Rate</b>                       | Not Applicable                       |
| <b>Flammability (solid, gas)</b>              | Not flammable; estimated             |
| <b>Flammability Limits in Air</b>             |                                      |
| <b>Upper Flammability Limit</b>               | Not Applicable                       |
| <b>Lower Flammability Limit</b>               | Not Applicable                       |
| <b>Vapor pressure</b>                         | Not Applicable                       |
| <b>Vapor Density</b>                          | Not Applicable                       |
| <b>Relative density</b>                       | 1.0-1.5                              |
| <b>Solubility(ies)</b>                        | Organic solvent; partly soluble      |
| <b>Partition coefficient: n-octanol/water</b> | Not Applicable                       |
| <b>Autoignition Temperature (°C)</b>          | No data available                    |
| <b>Decomposition Temperature (°C)</b>         | > 200                                |
| <b>Viscosity (mPa s)</b>                      | Not Applicable                       |
| <b>Explosive properties</b>                   | May form explosive mixtures with air |
| <b>Oxidizing properties</b>                   | No data available                    |

**Other Information**

No data available

**SECTION 10: Stability and reactivity**

**Reactivity**

None

**Chemical stability**

Stable

**Possibility of Hazardous Reactions**

None

**Conditions to Avoid**

None

**Incompatible materials**

Acids, Bases, Oxidizing agents, Reducing agents.

**Hazardous Decomposition Products**

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

**SECTION 11: Toxicological information**

**Information on toxicological effects**

|  |   |
|--|---|
| <b>Acute toxicity</b>                    | Estimate: LD50 > 2000 mg/kg (Ingestion)   |
| <b>Skin corrosion/irritation</b>         | Estimate: Mild irritant   |
| <b>Serious eye damage/eye irritation</b> | Estimate: Transient slight conjunctival irritation only.  |
| <b>Sensitization</b>                     | Estimate: Non-sensitizing   |
| <b>Germ cell mutagenicity</b>            | Ames Test (S. typhimurium, E. coli): Negative   |
| <b>Carcinogenicity</b>                   | The IARC evaluated titanium dioxide as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the evidence such as development of lung tumors in rats receiving chronic inhalation exposure to powdered titanium dioxide at levels that induce particle overload of the lung. However, there is an inhalation study of a toner containing titanium dioxide which suggested no association between toner exposure and tumor development in rats.  |
| <b>Reproductive Toxicity</b>             | No data available   |
| <b>STOT - single exposure</b>            | No data available   |
| <b>STOT - repeated exposure</b>          | Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m <sup>3</sup> which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m <sup>3</sup> , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m <sup>3</sup> . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. |
| <b>Aspiration hazard</b>                 | No data available   |
| <b>Other Information</b>                 | No data available   |

## SECTION 12: Ecological information

### Toxicity

#### **Ecotoxicity effects**

Fish, 96h LC50 > 100 mg/l  
Crustaceans, 48h EC50 > 100 mg/l  
Algae, ErC50(0-72h) > 100 mg/l

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).  
This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### Other adverse effects

No data available

## SECTION 13: Disposal considerations

### Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

## SECTION 14: Transport information

|   |  |
|---|--|
| <u>UN number</u>  | None   |
| <u>UN Proper Shipping Name</u>  | None   |
| <u>Transport Hazard Class</u>   | None   |
| <u>Packing Group</u>  | None   |
| <u>Environmental Hazards</u>  | No special environmental precautions required. |
| <u>Special Precautions for users</u>  | None   |
| <u>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</u> | Not Applicable                                 |

## SECTION 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

|                                 |   |
|---------------------------------|---|
| (EC) No 1907/2006 Authorisation | Not regulated   |
| (EC) No 1907/2006 Restriction   | Not regulated   |
| (EC) No 1005/2009               | Not regulated   |
| (EC) No 850/2004                | Not regulated   |
| (EU) No 649/2012                | Not regulated   |
| Australia Information           | Not classified as hazardous according to criteria of NOHSC:1008.<br>Not classified as hazardous according to criteria of Work Health and Safety Regulations 2011. |
| Other Information               | None  |

## SECTION 16: Other information

### Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]
- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

### Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- IARC: International Agency for Research on Cancer
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- CBI: Confidential Business Information

|                 |                  |
|-----------------|------------------|
| Issuing date :  | 12-Mar-2014      |
| Revision date : | 20-Aug-2015      |
| Revision Note   | Entirely revised |

### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.